

DOLLIES WITH GOOSENECK HANDLES

Handle:

One-hand operation for swift transport of small items up to 250 kg.



Platform:

Loading platform made of wood, optionally also available with steel sheet.



TPE castor:

The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



Field of application:

Easy to handle and manoeuvrable, even in narrow aisles. Ideal for boxes and crates.



Dollies with gooseneck handles

made of tubular steel welded and powder coated, blue RAL 5007, with tubular steel, sheet steel or wooden platform, handles bolted on, 1 respectively 2 swivel and 2 fixed-wheel castors 125 x 32 mm. Wheels with TPE tyres, hubs with precision deep groove ball bearing.

Swivel castors with wheel locks.

1158* | 1161*

Platform made of derived timber material boards housed in the frames, surface beech grain.



1158*



1161*

1163*

Platform made of sheet steel, flush with frame, steel sheet 2 mm thick, powder coated.



1163*



2167*

2167*

with detachable plastic box 600 x 400 x 220 mm. Frame made of angular steel, 610 x 410 mm, without wooden platform. Shaft with bolt connection, powder coated blue RAL 5007.

1164

with platform made of wooden, handles bolted on. Capacity upper shelf 100 kg.



1164



1197

1197

with 2 sheet steel platforms, flush with frames, steel sheet 2 mm thick, powder coated.

* Can not be fitted with TOTALSTOP.

| | Order no. | Capacity kg | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm | Net weight kg |
|--------------------------------|-----------|-------------|------------------------|---------------------------------|------------------|---------------|
| Dollies with gooseneck handles | 1158* | 200 | 600 x 450 | 860 x 450 x 860 | 195 | 10 |
| | 1161* | 250 | 600 x 500 | 890 x 500 x 860 | 195 | 12 |
| | 1163* | 250 | 600 x 500 | 890 x 500 x 860 | 195 | 14 |
| | 2167* | 250 | 610 x 410 | 890 x 410 x 860 | 209 | 13 |
| | 1164 | 250 | 600 x 450 | 860 x 450 x 875 | 195, 770 | 19 |
| | 1197 | 250 | 600 x 450 | 860 x 450 x 875 | 195, 770 | 21 |



1165




1166 | 1169 | 1170



2166 | 2173 | 2174



1167



1187



1168

Dollies

made of angular steel, welded, powder coated, blue RAL 5007, 4 swivel castors with TPE tyres, hubs with precision deep groove ball bearing.
2 swivel castors with wheel locks.

1165
with open frame.

1166 | 1169 | 1170
with wooden platform.

2166 | 2173 | 2174
with wooden platform covered with corrugated rubber.

1167
with chequer plate platform.

1187
with aluminium platform with ribbed structure.

1168
with cradle for reels, bales etc.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Shelf heights mm | Net weight kg |
|-------------------|-----------|-------------|------------|------------------------|---------------------------------|------------------|---------------|
| Small dollies | 1165 | 400 | 125 | 500 x 500 | 500 x 500 x 183 | 183 | 11 |
| | 1166 | 400 | 125 | 500 x 500 | 500 x 500 x 199 | 199 | 13 |
| | 1169 | 400 | 125 | 600 x 600 | 600 x 600 x 199 | 199 | 16 |
| | 1170 | 400 | 125 | 700 x 700 | 700 x 700 x 199 | 199 | 19 |
| | 2166 | 400 | 125 | 500 x 500 | 500 x 500 x 201 | 201 | 14 |
| | 2173 | 400 | 125 | 600 x 600 | 600 x 600 x 201 | 201 | 17 |
| | 2174 | 400 | 125 | 700 x 700 | 700 x 700 x 201 | 201 | 20 |
| | 1167 | 400 | 125 | 500 x 500 | 500 x 500 x 185 | 185 | 14,5 |
| | 1187 | 250 | 125 | 500 x 500 | 500 x 500 x 184 | 184 | 9 |
| Bale cradle dolly | 1168 | 400 | 125 | 500 x 500 | 500 x 500 x 288 | 288 | 13 |

Accessories
on pages 183-185

STOREROOM TROLLEYS



Pleasant and light:
For fast transport up to 400 kg.

TPE castor:
The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



Large variety:
Handy trolleys for the quick transport of small loads.



Storeroom trolleys
1200 | 1202 | 2100 | 2102
 Tubular steel, welded construction, powder coated, blue RAL 5007. Platform made of derived timber material board, beech decor surface.
 2 swivel and 2 fixed-wheel castors, TPE tyres, hubs groove ball bearing. Swivel castors with wheel locks.
 Loading height with wheel Ø of 125 mm: 206 mm
 wheel Ø of 160 mm: 233 mm

Table top carts
 Modular system, platform and pushbar with screw connection, upper shelves can be inserted. Disassembled on delivery. Welded tubular or sectional steel construction, powder coated, blue RAL 5007. Shelves made of derived timber material board, beech decor surface.
 2 swivel and 2 fixed-wheel castors, TPE tyres, hubs groove ball bearing. Swivel castors with wheel locks.

1600 | 1602
 Shelf heights: 209/826 mm
 Capacity upper shelf 80 kg.

1800 | 1802
 Construction as above, but with 3 shelves.
 Shelf heights: 209/515/826 mm
 Capacity upper and middle shelf 80 kg.

2600 | 2602
 Top shelves with screw connection.
 Height of shelves 233/736 mm
 Capacity upper shelf 120 kg.

2610 | 2612
 Construction as above, but with 3 shelves.
 Shelf heights with 233/485/736 mm
 Capacity upper and middle shelf 120 kg.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|---------------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Storeroom trolleys | 1200 | 250 | 125 | 850 x 450 | 1100 x 450 x 910 | 14 |
| | 1202 | 250 | 125 | 1000 x 600 | 1250 x 600 x 910 | 19 |
| | 2100 | 400 | 160 | 850 x 500 | 1030 x 505 x 953 | 21 |
| | 2102 | 400 | 160 | 1000 x 700 | 1180 x 705 x 953 | 29 |
| Table top carts | 1600 | 200 | 125 | 850 x 500 | 1030 x 500 x 1020 | 25 |
| | 1602 | 200 | 125 | 1000 x 600 | 1180 x 600 x 1020 | 28 |
| | 1800 | 200 | 125 | 850 x 500 | 1030 x 500 x 1020 | 34 |
| | 1802 | 200 | 125 | 1000 x 600 | 1180 x 600 x 1020 | 40 |
| | 2600 | 400 | 160 | 850 x 500 | 970 x 505 x 968 | 29 |
| | 2602 | 400 | 160 | 1000 x 700 | 1120 x 705 x 968 | 41 |
| | 2610 | 400 | 160 | 850 x 500 | 970 x 505 x 968 | 36 |
| | 2612 | 400 | 160 | 1000 x 700 | 1120 x 705 x 968 | 51 |

Accessories
 on pages 183-185

Aluminium platform trolley 3120

with foldable tubular push handle, closed platform with anti-slip surface, sturdy rounded edge profiles. Tubular push handle with wide strut and sturdy hinged mounting. 2 swivel and 2 fixed-wheel castors, solid rubber tyres, hubs with plain bearing. Swivel castors with wheel locks. Flat packed delivery.



3120



3100 | 3101

All-Steel trolleys 3100 | 3101

Shelves made of pressed steel plate, powder coated blue RAL 5007, with adhered anti-slip covering and all round protective strip. Foldable tubular push handle, with wide cross strut, powder coated, finished bright galvanized. 2 swivel and 2 fixed-wheel castors. Swivel castors with wheel locks. Hubs with plain bearing. Flat packed delivery.



3112



3113

3112 | 3113

Table top cart with 2 or 3 shelves. Fixed tubular push handle, bright galvanized.

Shelf heights:

3112 = 140/655 mm

3113 = 140/390/655 mm

Capacity upper and middle shelf 60 kg.



3130



3132

Plastic platform trolley

Platforms made of plastic with anti-slip surface. In blue colour. Tubular push handle. 2 swivel and 2 fixed-wheel castors, solid rubber tyres, hubs with plain bearing. Flat packed delivery.

3130

Foldable tubular push handle, with wide cross strut and finished bright galvanized.

3132

Table top cart with 2 shelves, tubular push handle, fixed, bright galvanized.

Shelf heights: 175/715 mm

Capacity upper and middle shelf 80 kg.


Accessories on pages 183-185 are not available for the trolleys on this page.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg | |
|---------------------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|--|
| Alu platform trolley | 3120 | 150 | 100 | 740 x 480 | 760 x 495 x 885 | 10 | |
| All-steel trolleys | 3100 | 150 | 100 | 740 x 480 | 760 x 495 x 860 | 12,2 | |
| | 3101 | 250 | 125 | 910 x 610 | 920 x 630 x 890 | 18,3 | |
| | 3112 | 120 | 100 | 740 x 480 | 760 x 495 x 860 | 18 | |
| | 3113 | 120 | 100 | 740 x 480 | 760 x 495 x 860 | 22,7 | |
| Plastic platform trolley | 3130 | 200 | 125 | 810 x 500 | 815 x 540 x 890 | 13 | |
| | 3132 | 200 | 125 | 810 x 500 | 815 x 540 x 890 | 16,7 | |

COLLAPSIBLE CARTS



Folding mechanism:
Easy and quick operatable by foot.
Ready to use in a few seconds.



Versions:
Available in steel and aluminium version.



Compact:
Space saving to store and therefore
ideal on the go.





**Collapsible carts
1132 | 1154**

Tubular steel cart, powder coated, with platform made of derived timber material boards. Surface beech grain. Handlebar folds onto platform.

2 swivel and 2 fixed-wheel castors, TPE tyres, hubs groove ball bearing. Swivel castors with wheel locks.

Loading height with wheel Ø of 125 mm: 205 mm
wheel Ø of 160 mm: 230 mm

1133 | 1134

as 1132 | 1154, but tubular aluminium cart with aluminium platform.

1140 | 1141

as 1132 | 1154, but with 2 handlebars foldable onto platform. Foldable table platform made of steel tube, platform made of derived timber material boards.

Shelf heights:

1140 = 205/860 mm

1141 = 230/885 mm

Capacity upper platform 80 kg.

German Patent 100 62 425

1180 | 1181

as 1140 | 1141, but tubular aluminium cart with aluminium platforms.



1132 | 1154



1140 | 1141



1133 | 1134



1180 | 1181

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|-------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Collapsible carts | 1132 | 250 | 125 | 720 x 450 | 815 x 470 x 930 | 16 |
| | 1154 | 250 | 160 | 900 x 600 | 995 x 620 x 965 | 25 |
| | 1133 | 200 | 125 | 720 x 450 | 815 x 470 x 930 | 11 |
| | 1134 | 200 | 160 | 900 x 600 | 995 x 620 x 965 | 18 |
| | 1140 | 250 | 125 | 720 x 450 | 900 x 470 x 900 | 26 |
| | 1141 | 250 | 160 | 900 x 600 | 1080 x 620 x 930 | 40 |
| | 1180 | 200 | 125 | 720 x 450 | 900 x 470 x 900 | 18 |
| | 1181 | 200 | 160 | 900 x 600 | 1080 x 620 x 930 | 27 |



2500-K | 2501-K | 2502-K | 2503-K

Collapsible carts
2500-K | 2501-K |
2502-K | 2503-K

Tubular steel and profile steel welded, powder coated, with platform made of derived timber material boards. Surface beech grain. Handlebar foldable onto platform. 2 swivel and 2 fixed-wheel castors, TPE tyres, hubs with groove ball bearing. Swivel castors with wheel locks.

Optiliner

This ideal handle is the ergonomic alternative to the classical pushbar.

Construction as collapsible cart 1132, but with red derived timber material boards surface.

3301

Loading height: 230 mm
total height hinged: 355 mm

3601

as Optiliner but without hinged grip.
Shelf heights: 230/735 mm
Capacity upper shelf 200 kg.



3301



3601



Optiliner handle

Ergonomic handle for a better pushing comfort.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|--------------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Collapsible carts | 2500-K | 500 | 160 | 850 x 500 | 907 x 509 x 1057 | 24 |
| | 2501-K | 600 | 200 | 1000 x 600 | 1120 x 609 x 1099 | 28 |
| | 2502-K | 600 | 200 | 1000 x 700 | 1120 x 709 x 1099 | 32 |
| | 2503-K | 600 | 200 | 1200 x 800 | 1325 x 809 x 1099 | 37 |
| Optiliner | 3301 | 400 | 160 | 900 x 600 | 1010 x 620 x 1030 | 25 |
| | 3601 | 400 | 160 | 900 x 600 | 1115 x 600 x 1030 | 34 |

MULTIVARIO-CARTS



Modular system:

Multi-functional modular system with the proven fetra „Insert & Bolt Principle“. MultiVario transport carts can be changed, swapped and added-on in many ways.



MultiVario:

The system components are simply inserted and secured with bolts.



TPE castor:

The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



Elegance:

Stylish frame construction of one cast with round edges.



MultiVario-Transporter Modular system

The MultiVario-Transporter can be altered, interchanged and supplemented in many ways. The system components are simply inserted into the basic element 2590-2593 and bolted tight.

Tubular steel and profile steel welded, powder coated, surface durably protected, resistant to impact and scratches. Platform made of derived timber material boards, surface beech design.

2 swivel and 2 fixed-wheel castors, TPE tyres, 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Height of loading platform:

TPE 160 Ø = 228 mm

TPE 200 Ø = 270 mm

Pneumatic tyres 220 Ø = 285 mm

Open carts

2500B - 2503B

Platform made of sheet steel, flush with frame, welded, powder coated RAL 5007.

Stanchioned trolleys
2580 - 2583

Stanchions 693/640 mm long

Accessories MultiVario

- Different tyres
- 4 swivel castors
- Protective edge
- Protective wheels
- Clip board and wire basket
- Softgrip push handle
- Dead man brake
- Collapsible push handle
- Electric drive unit
- Scanner holder
- Waterproof platforms
- PVC panel
- Scoring rubber
- Tablet holder
- Bottle holder
- Paper roll holder
- Waste collector
- Storage tray
- Directional locking

Accessories
on pages 183-185



MultiVario
Insert-and-Bolt Principle



Waterproof and more platforms
for MultiVario transporters
(for details see page 184)

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|---|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Open carts | 2500 | 500 | 160 | 850 x 500 | 975 x 509 x 948 | 23 |
| | 2501 | 600 | 200 | 1000 x 600 | 1125 x 609 x 990 | 27 |
| | 2502 | 600 | 200 | 1000 x 700 | 1125 x 709 x 990 | 30 |
| | 2503 | 600 | 200 | 1200 x 800 | 1325 x 809 x 990 | 35 |
| Open carts with platform made of sheet steel | 2500B | 500 | 160 | 850 x 500 | 975 x 509 x 948 | 28 |
| | 2501B | 600 | 200 | 1000 x 600 | 1125 x 609 x 990 | 32 |
| | 2502B | 600 | 200 | 1000 x 700 | 1125 x 709 x 990 | 34 |
| | 2503B | 600 | 200 | 1200 x 800 | 1325 x 809 x 990 | 42 |
| Stanchioned trolleys | 2580 | 500 | 160 | 850 x 500 | 1100 x 509 x 923 | 24 |
| | 2581 | 600 | 200 | 1000 x 600 | 1250 x 609 x 960 | 29 |
| | 2582 | 600 | 200 | 1000 x 700 | 1250 x 709 x 960 | 32 |
| | 2583 | 600 | 200 | 1200 x 800 | 1450 x 809 x 960 | 37 |
| Platform trolleys | 2590 | 500 | 160 | 850 x 500 | 919 x 509 x 228 | 22 |
| | 2591 | 600 | 200 | 1000 x 600 | 1069 x 609 x 270 | 26 |
| | 2592 | 600 | 200 | 1000 x 700 | 1069 x 709 x 270 | 27 |
| | 2593 | 600 | 200 | 1200 x 800 | 1269 x 809 x 270 | 33 |



MultiVario-Transporter Modular system

The MultiVario-Transporter can be altered, interchanged and supplemented in many ways. The system components are simply inserted into the basic element 2590-2593 and bolted tight.

Tubular steel and profile steel welded, powder coated, surface durably protected, resistant to impact and scratches. Platform made of derived timber material boards, surface beech design.

2 swivel and 2 fixed-wheel castors, TPE tyres, 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Height of loading platform:

TPE 160 Ø = 228 mm

TPE 200 Ø = 270 mm

Pneumatic tyres 220 Ø = 285 mm

Panelled end platform carts Double open side platform carts

2510 - 2513 | 2520 - 2523

Panelled end made of derived timber material boards, surface beech grain.

End panel height: 500 mm

Open sided platform carts Closed platform carts

2530 - 2533 | 2550 - 2553

Panelled ends and panelled sides made of derived timber material boards, surface beech grain.

End panel height: 500 mm

Side panel height: 500 mm

Closed platform cart with one detachable side panel.



2510 | 2511 | 2512 | 2513



2520 | 2521 | 2522 | 2523



2530 | 2531 | 2532 | 2533



2550 | 2551 | 2552 | 2553



| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg | |
|--|-----------|----------------|---------------|---------------------------|------------------------------------|------------------|--|
| Panelled end platform carts | 2510 | 500 | 160 | 850 x 500 | 970 x 509 x 948 | 27 | |
| | 2511 | 600 | 200 | 1000 x 600 | 1120 x 609 x 990 | 31 | |
| | 2512 | 600 | 200 | 1000 x 700 | 1120 x 709 x 990 | 36 | |
| | 2513 | 600 | 200 | 1200 x 800 | 1320 x 809 x 990 | 42 | |
| Double open-side platform carts | 2520 | 500 | 160 | 850 x 500 | 1030 x 509 x 948 | 31 | |
| | 2521 | 600 | 200 | 1000 x 600 | 1180 x 609 x 990 | 37 | |
| | 2522 | 600 | 200 | 1000 x 700 | 1180 x 709 x 990 | 43 | |
| | 2523 | 600 | 200 | 1200 x 800 | 1380 x 809 x 990 | 49 | |
| Open sided platform carts | 2530 | 500 | 160 | 850 x 480 | 1030 x 509 x 948 | 36 | |
| | 2531 | 600 | 200 | 1000 x 580 | 1180 x 609 x 990 | 42 | |
| | 2532 | 600 | 200 | 1000 x 680 | 1180 x 709 x 990 | 49 | |
| | 2533 | 600 | 200 | 1200 x 780 | 1380 x 809 x 990 | 56 | |
| Closed platform carts | 2550 | 500 | 160 | 850 x 450 | 1030 x 509 x 948 | 41 | |
| | 2551 | 600 | 200 | 1000 x 550 | 1180 x 609 x 990 | 48 | |
| | 2552 | 600 | 200 | 1000 x 650 | 1180 x 709 x 990 | 54 | |
| | 2553 | 600 | 200 | 1200 x 750 | 1380 x 809 x 990 | 63 | |

Accessories
on pages 183-185



1510 | 1511 | 1512 | 1513



1520 | 1521 | 1522 | 1523



1530 | 1531 | 1532 | 1533



1550 | 1551 | 1552 | 1553

MultiVario-Transporter Modular system

The MultiVario-Transporter can be altered, interchanged and supplemented in many ways. The system components are simply inserted into the basic element 2590-2593 and bolted tight.

Tubular steel and profile steel welded, powder coated, surface durably protected, resistant to impact and scratches. Platform made of derived timber material boards, surface beech design.

2 swivel and 2 fixed-wheel castors, TPE tyres, 160 x 40 or 200 x 40 mm, hubs with groove ball bearing.

Swivel castors with wheel locks.

Height of loading platform:

TPE 160 Ø = 228 mm

TPE 200 Ø = 270 mm

Pneumatic tyres 220 Ø = 285 mm

Panelled end platform carts Double open side platform carts

1510 - 1513 | 1520 - 1523

Ends made of wire lattice 50 x 50 x 4 mm.

End panel height: 500 mm

Open sided platform carts Wire cage carts

1530 - 1533 | 1550 - 1553

Ends and sides made of wire lattice 50 x 50 x 4 mm.

Height of ends: 500 mm

Height of sides: 500 mm

Wire cage cart with one detachable side.



| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | Net weight kg |
|--|-----------|-------------|------------|------------------------|---------------------------------|---------------|
| Panelled end platform carts | 1510 | 500 | 160 | 850 x 500 | 970 x 509 x 948 | 26 |
| | 1511 | 600 | 200 | 1000 x 600 | 1120 x 609 x 990 | 29 |
| | 1512 | 600 | 200 | 1000 x 700 | 1120 x 709 x 990 | 34 |
| | 1513 | 600 | 200 | 1200 x 800 | 1320 x 809 x 990 | 40 |
| Double open-side platform carts | 1520 | 500 | 160 | 850 x 500 | 1030 x 509 x 948 | 29 |
| | 1521 | 600 | 200 | 1000 x 600 | 1180 x 609 x 990 | 33 |
| | 1522 | 600 | 200 | 1000 x 700 | 1180 x 709 x 990 | 39 |
| | 1523 | 600 | 200 | 1200 x 800 | 1380 x 809 x 990 | 45 |
| Open sided platform carts | 1530 | 500 | 160 | 850 x 480 | 1030 x 509 x 948 | 32 |
| | 1531 | 600 | 200 | 1000 x 580 | 1180 x 609 x 990 | 36 |
| | 1532 | 600 | 200 | 1000 x 680 | 1180 x 709 x 990 | 42 |
| | 1533 | 600 | 200 | 1200 x 780 | 1380 x 809 x 990 | 48 |
| Wire cage carts | 1550 | 500 | 160 | 850 x 450 | 1030 x 509 x 948 | 35 |
| | 1551 | 600 | 200 | 1000 x 550 | 1180 x 609 x 990 | 40 |
| | 1552 | 600 | 200 | 1000 x 650 | 1180 x 709 x 990 | 45 |
| | 1553 | 600 | 200 | 1200 x 750 | 1380 x 809 x 990 | 53 |

Accessories
on pages 183-185

**Box carts**

2560 | 2561 | 2562 | 2563

Ends and sides made of derived timber material boards, Height of sides 250 mm. All sides singly detachable.



2560 | 2561 | 2562 | 2563



1580 | 1581 | 1582 | 1583

Side frame carts

1580 | 1581 | 1582 | 1583

Height of side frames 720 mm

Bale trolleys

2541 | 2542 | 2543

Sides made of derived timber material boards, surface beech grain.

Height of sides 620/750 mm



2541 | 2542 | 2543



2571 | 2572 | 2573

Bale trolleys

2571 | 2572 | 2573

2 tubular steel side frames with intermediate uprights at intervals of approx. 130 mm.

Height of sides 750 mm



| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x B mm | Outside dimensions L x W x H mm | Net weight kg | |
|-------------------------|-----------|-------------|------------|------------------------|---------------------------------|---------------|--|
| Box carts | 2560 | 500 | 160 | 850 x 440 | 970 x 509 x 948 | 30 | |
| | 2561 | 600 | 200 | 1000 x 540 | 1120 x 609 x 990 | 36 | |
| | 2562 | 600 | 200 | 1000 x 640 | 1120 x 709 x 990 | 40 | |
| | 2563 | 600 | 200 | 1200 x 740 | 1320 x 809 x 990 | 46 | |
| Side frame carts | 1580 | 500 | 160 | 850 x 440 | 910 x 509 x 948 | 29 | |
| | 1581 | 600 | 200 | 1000 x 540 | 1060 x 609 x 990 | 35 | |
| | 1582 | 600 | 200 | 1000 x 640 | 1060 x 709 x 990 | 40 | |
| | 1583 | 600 | 200 | 1200 x 740 | 1260 x 809 x 990 | 44 | |
| Bale trolleys | 2541 | 600 | 200 | 1000 x 540 | 1060 x 609 x 1025 | 42 | |
| | 2542 | 600 | 200 | 1000 x 640 | 1060 x 709 x 1025 | 45 | |
| | 2543 | 600 | 200 | 1200 x 740 | 1260 x 809 x 1025 | 54 | |
| | 2571 | 600 | 200 | 1000 x 540 | 1060 x 609 x 1025 | 39 | |
| | 2572 | 600 | 200 | 1000 x 640 | 1060 x 709 x 1025 | 42 | |
| | 2573 | 600 | 200 | 1200 x 740 | 1260 x 809 x 1025 | 48 | |


Accessories
on pages 183-185

TABLE TOP CARTS



Ergonomics:

Push handle can be retrofitted. For the optimal grip position the height can be adjusted by means of plastic clamps.



Platforms:

Table top carts with flush platform or with rim. Various surface materials available.



TPE castor:

The innovative easy-running TPE-castor in the attractive fetra design is non-marking and odourless. Particularly smooth-running groove ball bearing.



Modular system:

Multi-functional modular system with the proven fetra „Insert & Bolt Principle“. MultiVario transport carts can be changed, swapped and added-on in many ways.





Heavy table top carts Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, surface beech grain.

2 swivel and 2 fixed-wheel castors with TPE tyres 160 x 40 mm resp. 200 x 40 mm.

Swivel castors with wheel locks.

Capacity upper and middle shelf 200 kg.

2496

Square platforms 600 x 600 mm.
2 shelves.

2400 | 2401 | 2402 | 2403

Rectangular platforms in 4 sizes.
2 shelves.

2416

as 2496, but with 3 shelves.

2420 | 2421 | 2422 | 2423

as 2400-2403, but with 3 shelves.

2440 | 2441 | 2442 | 2443

as 2400-2403, but with 4 shelves.

Accessories

Steel plate drawer 2149

Add-on kit for table top carts, with ball pull-out and cylinder lock. H x W x D inside
105 x 410 x 475 mm.

Can not be retrofitted.



2496



2400 | 2401 | 2402 | 2403



2416



2420 | 2421 | 2422 | 2423



2440 | 2441 | 2442 | 2443

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|-----------------|-----------|-------------|------------|------------------------|---------------------------------|----------------|---------------------|---------------|
| Table top carts | 2496 | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 2 | 228, 860 | 32 |
| | 2400 | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 2 | 228, 860 | 36 |
| | 2401 | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 2 | 270, 900 | 44 |
| | 2402 | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 2 | 270, 900 | 49 |
| | 2403 | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 2 | 270, 900 | 58 |
| | 2416 | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 3 | 228, 544, 860 | 44 |
| | 2420 | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 3 | 228, 544, 860 | 50 |
| | 2421 | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 3 | 270, 585, 900 | 61 |
| | 2422 | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 3 | 270, 585, 900 | 67 |
| | 2423 | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 3 | 270, 585, 900 | 79 |
| | 2440 | 500 | 160 | 850 x 500 | 1047 x 509 x 1179 | 4 | 228, 544, 860, 1179 | 64 |
| | 2441 | 600 | 200 | 1000 x 600 | 1197 x 609 x 1218 | 4 | 270, 585, 900, 1218 | 78 |
| | 2442 | 600 | 200 | 1000 x 700 | 1197 x 709 x 1218 | 4 | 270, 585, 900, 1218 | 88 |
| | 2443 | 600 | 200 | 1200 x 800 | 1397 x 809 x 1218 | 4 | 270, 585, 900, 1218 | 107 |



2496B



2400B | 2401B | 2402B | 2403B



2416B



2420B | 2421B | 2422B | 2423B

Heavy table top carts Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches.

Platforms made of steel sheet, flush with frame, neatly welded, powder coated blue RAL 5007.

2 swivel and 2 fixed-wheel castors with TPE tyres 160 x 40 mm resp. 200 x 40 mm.

Swivel castors with wheel locks.

Capacity upper and middle shelf 200 kg.

2496B

Square platforms 600 x 600 mm, platforms made of steel sheet, flush with frame, powder coated.

2400B | 2401B | 2402B | 2403B

Rectangular platforms in 4 sizes, made of steel sheet, flush with frame, powder coated.

2416B

as 2496B, but with 3 shelves.

2420B | 2421B | 2422B | 2423B

as 2400B-2403B, but with 3 shelves.



Paper roll holder

mounting kit for trolleys. Suitable for paper rolls up to 210 mm in diameter and 210 mm in width.

For details see page 185.



Bottle holder

Tubular strut with multiple holes, with clamping bracket for attaching in almost any position.

For details see page 185.



Waste collector

with clamp for tube-Ø 27 mm. Suitable for 120 litre rubbish bags.

For details see page 185.



Tablet holder

For details see page 185.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|--|-----------|-------------|------------|------------------------|---------------------------------|----------------|------------------|---------------|
| Table top carts with platforms made of sheet steel | 2496B | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 2 | 228, 860 | 42 |
| | 2400B | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 2 | 228, 860 | 45 |
| | 2401B | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 2 | 270, 900 | 56 |
| | 2402B | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 2 | 270, 900 | 61 |
| | 2403B | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 2 | 270, 900 | 78 |
| Table top carts with platforms made of sheet steel | 2416B | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 3 | 228, 544, 860 | 50 |
| | 2420B | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 3 | 228, 544, 860 | 59 |
| | 2421B | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 3 | 270, 585, 900 | 71 |
| | 2422B | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 3 | 270, 585, 900 | 77 |
| | 2423B | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 3 | 270, 585, 900 | 99 |
| Paper roll holder | 1396 | - | - | - | - | - | - | 4 |
| Bottle holder | 1391 | - | - | - | - | - | - | 1 |
| Waste collector | 1397 | - | - | - | - | - | - | 4 |
| Tablet holder | 28TH | - | - | - | - | - | - | 2 |

Accessories
on pages 183-185



Heavy table top carts Modular system

Tubular steel and sectional steel, welded and powder-coated, surface durably protected, resistant to impact and scratches.

Steel sheet trays with 10 mm high rim, welded oil-tight

2 swivel and 2 fixed-wheel castors with TPE tyres 160 x 40 mm resp. 200 x 40 mm.

Swivel castors with wheel locks.

Capacity upper shelf 200 kg.

2496W

Square platforms 600 x 600 mm, trays made of steel sheet, with rim 10 mm high, welded oil-tight, powder coated.

2400W | 2401W | 2402W | 2403W

Rectangular platforms in 4 sizes, trays made of steel sheet, with rim 10 mm high, welded oil-tight, powder coated.

2416W

as 2496W, but with 3 shelves.

Capacity upper and middle shelf 200 kg.

2420W | 2421W | 2422W | 2423W

as 2400W-2403W, but with 3 shelves.

Capacity upper and middle shelf 200 kg.



2496W



2400W | 2401W | 2402W | 2403W



2416W



2420W | 2421W | 2422W | 2423W



Paper roll holder

mounting kit for trolleys. Suitable for paper rolls up to 210 mm in diameter and 210 mm in width.

For details see page 185.



Bottle holder

Tubular strut with multiple holes, with clamping bracket for attaching in almost any position.

For details see page 185.



Waste collector

with clamp for tube-Ø 27 mm. Suitable for 120 litre rubbish bags.

For details see page 185.



Tablet holder

For details see page 185.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|---|-----------|-------------|------------|------------------------|---------------------------------|----------------|------------------|---------------|
| Table top carts with steel plate trays | 2496W | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 2 | 228, 860 | 38 |
| | 2400W | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 2 | 228, 860 | 40 |
| | 2401W | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 2 | 270, 900 | 50 |
| | 2402W | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 2 | 270, 900 | 54 |
| | 2403W | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 2 | 270, 900 | 66 |
| Table top carts with steel plate trays | 2416W | 500 | 160 | 600 x 600 | 737 x 609 x 860 | 3 | 228, 544, 860 | 47 |
| | 2420W | 500 | 160 | 850 x 500 | 1047 x 509 x 860 | 3 | 228, 544, 860 | 54 |
| | 2421W | 600 | 200 | 1000 x 600 | 1197 x 609 x 900 | 3 | 270, 585, 900 | 64 |
| | 2422W | 600 | 200 | 1000 x 700 | 1197 x 709 x 900 | 3 | 270, 585, 900 | 70 |
| | 2423W | 600 | 200 | 1200 x 800 | 1397 x 809 x 900 | 3 | 270, 585, 900 | 88 |
| Paper roll holder | 1396 | - | - | - | - | - | - | 4 |
| Bottle holder | 1391 | - | - | - | - | - | - | 1 |
| Waste collector | 1397 | - | - | - | - | - | - | 4 |
| Tablet holder | 28TH | - | - | - | - | - | - | 2 |

Table top carts with trays
Modular system

Steel construction, welded. Tubular steel hoop and steel plate trays screwed. Trays oil-tight, rim 40 mm high, powder coated blue RAL 5007. 2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing. Swivel castors with wheel locks. Capacity per upper and middle shelf 200 kg.

4840 | 4842

Construction and dimensions as 4820 | 4822, but upper shelf with rim 150 mm.

2722

Top steel tray 100 mm high, oil-tight. Base with conical drain and drain tap 1/2".

Grid with mesh width of 31 x 31 mm, loosely inserted, flush at the top, hot-dip galvanized.

Lower steel plate tray 25 mm high, oil-tight.

2 swivel and 2 fixed-wheel castors, solid rubber tyres, hubs with groove ball bearing. Swivel castors with wheel locks.

Capacity per upper shelf 100 kg.



2722 Example of use

Accessories
on pages 183-185



4820 | 4822



4830 | 4832



4920 | 4922



4930 | 4932



4840 | 4842



2722

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|-----------------|-----------|-------------|------------|------------------------|---------------------------------|----------------|------------------|---------------|
| Table top carts | 4820 | 400 | 160 | 850 x 500 | 1021 x 500 x 870 | 2 | 207, 829 | 36 |
| | 4822 | 400 | 200 | 1000 x 700 | 1171 x 700 x 910 | 2 | 248, 870 | 47 |
| | 4830 | 400 | 160 | 850 x 500 | 1021 x 500 x 870 | 3 | 207, 519, 829 | 46 |
| | 4832 | 400 | 200 | 1000 x 700 | 1171 x 700 x 910 | 3 | 248, 560, 870 | 61 |
| | 4920 | 400 | 160 | 850 x 500 | 986 x 500 x 1065 | 2 | 207, 829 | 37 |
| | 4922 | 400 | 200 | 1000 x 700 | 1136 x 700 x 1105 | 2 | 248, 870 | 50 |
| | 4930 | 400 | 160 | 850 x 500 | 986 x 500 x 1065 | 3 | 207, 519, 829 | 47 |
| | 4932 | 400 | 200 | 1000 x 700 | 1136 x 700 x 1105 | 3 | 248, 560, 870 | 64 |
| | 4840 | 400 | 160 | 850 x 500 | 1021 x 500 x 880 | 2 | 207, 829 | 43 |
| | 4842 | 400 | 200 | 1000 x 700 | 1171 x 700 x 1020 | 2 | 248, 870 | 55 |
| 2722 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1030 | 2 | 181, 901 | 52 | |



Light table top carts Modular system

Table top carts, tubular steel welded and powder coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards, in a frame of angle steel, height of rim 12 mm.

2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.

Swivel castors with wheel locks.

Capacity upper and middle shelf 80 kg.



2740 | 2742 | 2744 | 2746



2750 | 2752 | 2754 | 2756

2740 | 2742 | 2744 | 2746

2750 | 2752 | 2754 | 2756

with a high push bar.

2940 | 2942 | 2944 | 2946

2950 | 2952 | 2954 | 2956

Constructed as above, but with a horizontal push bar.



2940 | 2942 | 2944 | 2946



2950 | 2952 | 2954 | 2956



Paper roll holder

For details see page 185.



Bottle holder

For details see page 185.



Scanner holder

For details see page 185.



Tablet holder

For details see page 185.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x B mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|------------------------|-----------|-------------|------------|------------------------|---------------------------------|----------------|------------------|---------------|
| Table top carts | 2740 | 300 | 125 | 850 x 500 | 986 x 511 x 1039 | 2 | 200, 820 | 28 |
| | 2742 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1039 | 2 | 200, 820 | 36 |
| | 2744 | 300 | 125 | 1000 x 700 | 1136 x 711 x 1039 | 2 | 200, 820 | 37 |
| | 2746 | 300 | 125 | 1200 x 800 | 1336 x 811 x 1039 | 2 | 200, 820 | 48 |
| | 2750 | 300 | 125 | 850 x 500 | 986 x 511 x 1039 | 3 | 200, 510, 820 | 35 |
| | 2752 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1039 | 3 | 200, 510, 820 | 49 |
| | 2754 | 300 | 125 | 1000 x 700 | 1136 x 711 x 1039 | 3 | 200, 510, 820 | 51 |
| | 2756 | 300 | 125 | 1200 x 800 | 1336 x 811 x 1039 | 3 | 200, 510, 820 | 66 |
| | 2940 | 300 | 125 | 850 x 500 | 1021 x 511 x 830 | 2 | 200, 820 | 29 |
| | 2942 | 300 | 125 | 1000 x 600 | 1171 x 611 x 830 | 2 | 200, 820 | 36 |
| | 2944 | 300 | 125 | 1000 x 700 | 1171 x 711 x 830 | 2 | 200, 820 | 37 |
| | 2946 | 300 | 125 | 1200 x 800 | 1371 x 811 x 830 | 2 | 200, 820 | 48 |
| 2950 | 300 | 125 | 850 x 500 | 1021 x 511 x 830 | 3 | 200, 510, 820 | 36 | |
| 2952 | 300 | 125 | 1000 x 600 | 1171 x 611 x 830 | 3 | 200, 510, 820 | 49 | |
| 2954 | 300 | 125 | 1000 x 700 | 1171 x 711 x 830 | 3 | 200, 510, 820 | 51 | |
| 2956 | 300 | 125 | 1200 x 800 | 1371 x 811 x 830 | 3 | 200, 510, 820 | 66 | |



Light table top carts
Modular system
3740 | 3742 | 3760 | 3762

Tubular steel welded and powder coated, surface durably protected, resistant to impact and scratches, shelves made of derived timber material boards resp. boxes, in a frame of angle steel. Boards with 12 mm rim. Boxes with 45 mm rim.

With a high push bar.
2 swivel and 2 fixed-wheel castors with TPE tyres, hubs with groove ball bearing.
Swivel castors with wheel locks.

Capacity upper shelf 80 kg.
Inside dimension of boxes
L x W x H mm:
810 x 450 x 45 mm when platform size 850 x 500 mm
960 x 550 x 45 mm when platform size 1000 x 600 mm

2622
Construction and dimensions as 2742, 2 sheet steel drawers with ball pull-out and cylinder lock.

Inside dimension of drawer
H x W x D
105 x 415 x 490 mm.
Capacity upper shelf 80 kg.
Capacity per drawer 25 kg.



Drawer subdivision-set
made of galvanized steel sheet, insertable. 2 longitudinal partitions and 6 dividing sheets.

Waste collector
with clamp for tube-Ø 27 mm. Suitable for 120 litre rubbish bags. .
For details see page 185.

Clip board upright DIN A4
See also page 185.

Storage tray
See also page 185.

| | Order no. | Capacity kg | Wheel-Ø mm | Platform size L x W mm | Outside dimensions L x W x H mm | No. of shelves | Shelf heights mm | Net weight kg |
|------------------------|-----------|-------------|------------|------------------------|---------------------------------|----------------|------------------|---------------|
| Table top carts | 3740 | 300 | 125 | 850 x 500 | 986 x 511 x 1039 | 2 | 200, 820 | 28 |
| | 3742 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1039 | 2 | 200, 820 | 34 |
| | 3760 | 300 | 125 | 850 x 500 | 986 x 511 x 1039 | 2 | 200, 820 | 29 |
| | 3762 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1039 | 2 | 200, 820 | 35 |
| Table top carts | 2622 | 300 | 125 | 1000 x 600 | 1136 x 611 x 1039 | 2 | 200, 820 | 49 |
| Subdivision-set | 2148/ES | - | - | - | - | - | - | 3 |
| Waste collector | 1397 | - | - | - | - | - | - | 4 |
| Clip board | 1290 | - | - | - | - | - | - | 1 |
| Storage tray | 1381 | 25 | - | - | - | - | - | 4 |

Accessories
on pages 183-185